

Eyemax NIB-B1322F TRUON 960p IP Eyeball IR Dome Camera with 12 IR LED



The NIB-B1322F-W is the ultimate security camera for any business or residential property. Advanced DSP technology and its impressive 960p resolution offer unparalleled clarity and detail in every frame. It's possible to use this camera inside or out. It has 12 LEDs that help it see well at night.

The NIB-B1322F-W captures every detail, so no activity goes unnoticed. This camera can keep an eye on your workplace or home. Its compact and sleek design allows it to blend seamlessly into any environment, providing discreet surveillance without compromising on performance.

FEATURES

- 1/3" line scanning digital and advanced DSP technology
- Picture Resolution 960P color CMOS, 1.3 Mega Pixel, 1280 × 960
- Optimized H.264 Main Profile compression algorithm, high compression ratio and high quality image; convenient to realize a transmission of HD images on a narrow band, thus it can save the storage space; support triple bit streams
- The most advanced network delivery server technology, Easily achieve more user access, Multi-stage user password rights management
- Built in Web Server, through the IE browser easy to realize the remote control Settings prison see operation
- Support facilities remote security upgrade function
- Support DDNS, PPPoE and UPnP, Support LAN, WAN transport.
- Technology of self adaptability to network that it may adjust its video flame rate automatically according to the bandwidth of network
- Functions of alarm in video missing, mobile detection or probe, etc. (available to set the regions and sensitivity)
- Support mobile detection / image shielding / image snapshot
- Functions of auto recovery in abnormality and auto reconnection in network breakdown

Eyemax NIB-B1322F TRUON 960p IP Eyeball IR Dome Camera with 12 IR LED

SPECIFICATIONS

Camera	Pixel	1.3 Mega Pixel / 1280"960
	Lens	3.6mm
	Electronic shutter	1/25s-1/30,000s
	Low Lux	Color : 0.1Lux@F1.6 B/W:0.01Lux@F1.6
	Auto iris	N/A
	ICR	Support
	Video parameter	Saturation, brightness, contrast ratio and color tone can be adjusted by customer end or IE explorer
IR	IR Properties	Dual filter day / night: automatic switch, linkage switch
	IR Light	12pcs 5Ø IR LEDS
Audio-video coding parameters	Compression	H.264 Main Profile@Level 3.0 / MJPEG optional
	Video bit rate	0.1M-6Mbps, customized
	Bit stream type	video stream
	Audio compress	N/A
	Audio bit rate	N/A
Image	Triple bit streams	Support
	Video resolution	1280 × 960
	Video flame rate	PAL: 1 ~ 25 frames/second, NTSC: 1 ~ 30 frames/second
Function	PTZ	N/A
	Heartbeat mechanism	Support
	IP auto pop-out	IP auto pop-out at customer end
	Password protection	Multi-level protection on password
	Intellectual alarm	Mobile detection, video shielding, video loss, network breakdown, abnormality in storage
	Basic functions	One-key reset, password protection, watermark technology

Eyemax NIB-B1322F TRUON 960p IP Eyeball IR Dome Camera with 12 IR LED

Interface	Audio input	N/A
	Video output	N/A
	Network port	1 pcs, RJ45 10M/100Mbps self-adaptable Ethernet port
	Serial port	N/A
	Alarm input	N/A
	Alarm output	N/A
Wireless network	WIFI	N/A
	Wireless encryption protocol	N/A
	Cell phone monitor	Support
	3G network	N/A
others	POE	802.3af
	Power supply	DC12V/1.5A
	Power consumption	<6W
	Working temp	-10°C ~ +55°C / 14°F ~ 131°F
	Working humidity	10 ~ 85%
	Dimension	Ø 106mm × 65.8mm