

Eyemax IB-6135MV 650 TVL IR Metal Dome Camera Auto IRIS Varifocal Lens and Dual Power



- 1/3 INCH SONY SUPER HAD CCD II
- High Resolution (650 TVL)
- High Sensitivity
- Weather proof Housing
- 0 Lux at IR On (IR LED 35pcs)
- Day and Night
- 3DDNR Function
- External Zoom and Focus Control
- Easy Installation
- DC Auto IRIS Varifocal Lens 2.8~12mm
- DC Auto IRIS and TDN Manual Varifocal Lens 2.8~12mm

SPECIFICATIONS

MODEL	NTSC
Resolution	650 TV Line
Sensor	1/3 inch Sony Super HAD CCD
Total Pixels	811(H) × 508(V) 410K pixels (NTSC)
Effective Pixels	768(H) × 494(V) 380K pixels (NTSC)
Scanning System	2:1 Interface
S/N (Y signal)	More than 52 dB (AGC Off)
Frequency	Horizontal : 15.734KHz / Vertical : 59.94Hz
Video Output	CVBS : 1.0 Vp-p Comp. 75Ω
Minimum Illumination	0 Lux at IR On
White Balance	AWC
Electronic shutter speed	Auto (1/60sec ~ 1/100,000sec)
Auto Gain Control (AGC)	ON
3DDNR (3D Digital Noise Reduction)	ON
Day & Night	Auto
Operating Temp. / Humidity	14°F ~ 122°F(-10°C ~ 50°C) / 30% ~ 80% RH
Storage Temp. / Humidity	-4°F ~ 140°F(-20°C ~ 60°C) / 20% ~ 90% RH
Power Source	DC 12V