

- Lens: 3.7 mm Pinhole Lens
- DC 12V
- 1/2.8" Mega Pixel Sensor
- TVI 1080P High Definition
- Hidden Mini Camera
- 960H CVBS output
- High-definition TVI 1080P resolution
- 3.7 mm Pinhole Lens for discreet surveillance
- Unique square case design
- UTC (Up-the-Coax) function for remote control
- 960H CVBS output for compatibility with traditional analog systems
- 1/2.8" Mega Pixel Sensor for excellent image quality
- TVI (Transport Video Interface) technology for high definition transmission
- UTC (Up-the-Coax) function allows for remote control of camera settings
- 960H CVBS output provides compatibility with traditional analog systems
- DC 12V power supply
- Square case design for discreet and compact surveillance
- Pinhole lens for hidden camera setup
- Durable construction for indoor use
- Optional mounting bracket for easy installation
- Ideal for discreet surveillance in various settings
- It can be used in combination with traditional analog systems



## SPECIFICATIONS

Image Sensor:	1/2.8" Mega Pixel Sensor
Effective Pixels:	2.0 Mega Pixels
Built-in Lens:	3.7mm
Signal System:	PAL/NTSC
Horizontal Resolution	PAL:1920 × 1080P 25F/S NTSC:1920 × 1080P 30F/S
Sync. System:	Internal Sync.
Sensor Area:	5.42mm × 3.41mm
Video Output:	HD TVI output/1.0Vp~p75Ω
OSD Menu	Support
S/N Ratio:	More than 50dB (AGC OFF)
White Balance:	Auto Tracking White Balance
Shutter Speed:	1/25 ~ 1/50,000Sec.
Working Temperature:	14 °F (-10 °C) ~ 122 °F (50 °C)
Storage Temperature:	-4 °F (-20 °C) ~ 140 °F (60 °C)
Power Requirement:	DC12V, Max Power consumption Less Than 3W
Weight:	0.52lb (0.24 kg)