

Exacq


Powerful video surveillance made easy



exacqVision Video Solutions – Single Camera to Enterprise



exacqVision: Intuitive, Powerful, Cost-Effective Video Surveillance



The exacqVision video management portfolio, comprised of video management software (VMS), network video recorders (NVR), and storage servers, is known for its ease of install and use, and low maintenance costs. The powerful exacqVision VMS is available on factory-installed hybrid and IP servers, and works with a wide range of commercially available off-the-shelf servers. Its intuitive and powerful feature set make it an ideal choice for many security-conscious applications including those in education, corporate, retail and healthcare.

For more than a decade, the Exacq brand has been synonymous with reliable video management solutions that are highly intuitive and very cost-effective. From small, single-camera systems to large, scalable deployments with thousands of cameras, the exacqVision portfolio provides an ideal security solution for nearly any application – particularly those requiring an uncomplicated installation process and intuitive user experience.

Video Management Made Easy

The exacqVision VMS is an easy-to-use, feature-rich system that lets customers easily manage live and recorded video, either for small stand-alone systems or for sprawling enterprise systems.

Every quarter, like clockwork, we release new features that are designed to help our global customers more effectively monitor video, audio and data in real time and reduce video review time to quickly conduct investigations. For a unique Edge experience, exacqVision Edge VMS installs directly on any compatible IP camera to provide a complete solution without the need for a separate server.

Compatible with thousands of IP camera models and a large number of access control systems, point-of-sale (POS) systems, and retail and video analytics, the exacqVision VMS is one of the industry's most flexible solutions.

Hybrid and IP Video Recorders Offer Customer-Centric Versatility

The exacqVision line of hybrid and IP camera recorders provides a complete, out-of-the box video solution. Use exacqVision IP camera recorders for a pure IP solution or the versatile hybrid recorders to integrate analog and IP cameras for a customer-friendly way to move an existing analog surveillance system to the latest IP technology.

Hybrid and IP camera recorders are all scalable, cross-compatible and unified through the freely distributed exacqVision

client software, and every exacqVision recorder comes with pre-loaded exacqVision VMS software and a 3-year warranty with a software subscription agreement.




Access to exacqVision recorders is also available through most Internet browsers and using the free Exacq Mobile app available for iOS, Android and Kindle Fire.

Built-In Cybersecurity Controls

The exacqVision solution not only protects your facility from physical threats, it's designed to defend against cyber threats as well. With built-in cybersecurity controls, safeguards are in place to guard against unauthorized access, simplify management of user accounts, facilitate least-privilege assignment of permissions and limit network exposure by controlling settings for ports, protocols and interfaces. The system will even send software update notifications so you can download the latest exacqVision security enhancements as soon as they're released.

Software specifications are subject to change without notice	Start	Professional	Enterprise
System			
Max Cameras Per Server	16 Analog / 16 IP	64 Analog / 128 IP	64 Analog / 128 IP
Max Server Connections Per Client	1	512 (client) / 16 (web browser client)	512 (client) / 16 (web browser client)
Windows & Linux Server Compatibility	✓	✓	✓
Free Windows, Linux & Mac Clients	✓	✓	✓
Browser-Based Viewing of Live/Stored Events	✓	✓	✓
Compatible with Free Exacq Mobile App	✓	✓	✓
EasyConnect Auto-Detect/Connect to Compatible IP Cameras	✓	✓	✓
Fisheye/Panoramic Lens Support (Live and recorded)	✓	✓	✓
Client Bandwidth Throttling	✓	✓	✓
Pre/Post Alarm Recording	✓	✓	✓
Soft Triggers	✓	✓	✓
Time-Lapse Recording		✓	✓
Extended Storage		✓	✓
Archiving		✓	✓
Per-Camera Min/Max Retention		✓	✓
Audit Trail		✓	✓
Custom User Groups		✓	✓
Third-Party Integrations		✓	✓
Smart Search		✓	✓
Email Notification for System Health Events		✓	✓
exacqVision Surveillance Keyboard Support		✓	✓
NVR Failover*			✓
Enterprise Camera Management			✓
Health Dashboard of exacqVision NVRs and Attached Cameras			✓
Advanced User Role Management			✓
Dynamic Client Connection Management			✓
Scheduled Configuration Backups and Recoveries			✓
Scheduled Version Updates			✓
LDAP/Active Directory			✓
Compatible with exacqVision Virtual Appliance			✓
Live view			
View Cameras on Multiple Monitors	✓	✓	✓
PTZ Control & Presets	✓	✓	✓
Digital PTZ Control & Presets	✓	✓	✓
Motion & Alarm Indication	✓	✓	✓
Event Linking on Discrete Inputs	✓	✓	✓
Event Linking on Video, Serial & Health Events		✓	✓
Event-Driven & Time-Lapse Video Switching		✓	✓
Camera Groups		✓	✓
Multi-Streaming		✓	✓
Two-Way Audio		✓	✓
Maps		✓	✓
VideoPush Video Wall			✓
Hierarchical Maps for Fast Camera Navigation			✓
Camera Inspection Workflow			✓
Search, Export & Archive			
exacqReplay Instant Replay	✓	✓	✓
Thumbnail & Timeline Event Search	✓	✓	✓
POS & ATM Serial Text Search	✓	✓	✓
Multi-Camera Playback	✓	✓	✓
Export to .AVI, .MOV, .MP4 or .EXE File	✓	✓	✓
Bookmarking		✓	✓
Multiple Camera Export		✓	✓
Case Management			✓

Purpose-Built NVRs

Hardware configurations are subject to change without notice	G-Series		Q-Series
			
	IP	PoE (8-Port / 16-Port)	IP and Hybrid
Analog (for Hybrid models)			
Models/Form Factors	IP		Desktop
Analog Inputs	N/A		8/16
Analog Frame Rate	N/A		240/480 (NTSC) 200/400 (PAL)
Alarm Inputs/Outputs	N/A		Optional with USB I/O Module
Analog Outputs	N/A		1
Audio Inputs	1		2
IP			
Max IP Cameras	8	8 / 16	24
Included IP Camera Licenses	2 Professional	4 Professional	4 Professional
Alarm Inputs/Outputs	Optional with USB I/O Module		
Server & General			
Pre-Loaded VMS Software	Professional (Enterprise Optional)	Professional (Enterprise Optional)	Professional (Enterprise Optional)
Maximum Video Storage Rate (Dependent on HDD & Network Configuration)	60	120 / 120	150
Local Client Display Rate (FPS)	Client use recommended only for configuration purposes	480 @ HD / 480 @ HD	240 @ HD resolution
Max Storage	1 TB	12 TB / 12 TB	12 TB
Removable HD	No		No
RAID Configuration	N/A		N/A
Operating System	Ubuntu Linux 22.04		Ubuntu Linux 22.04, Windows 10 (Optional)
Operating System Location	HDD	HDD / SSD	256 GB SSD
Monitor Output	HDMI, Mini DP	HDMI, DVI-I	DisplayPort, HDMI, VGA (3 simultaneous monitors)
NIC	IP = 2 x 1Gbps	PoE = 1 x 2.5Gbps, 1 x 1Gbps	1 x 2.5Gbps, 1 x 1Gbps
Redundant Power Supply	No		No
Serial	1	1	N/A
Audio Outputs (Server)	1		1
Kantech-On Board Integration	N/A		Yes, Windows models only
Warranty / SSA	Includes a 3-year warranty and 3 years of software updates		

EST.





1998



Enterprise Management

	EM-Series 2000	EM-Series 500
Max Video Recorders	2000	500
Pre-Loaded Software	exacqVision Enterprise Manager	
Max Storage	8TB (4TB Usable)	4TB (2TB Usable)
Removable HD	2 TB	1 TB
RAID Configuration	RAID 6	
Operating System	Windows Server 2019, Ubuntu Linux 22.04	Windows 10, Ubuntu Linux 22.04
Operating System Location	256 GB SSD (RAID 1 Optional)	
Monitor Output	DisplayPort, HDMI, VGA (3 simultaneous monitors)	
NIC	1 x 2.5 Gbps, 1 x 1 Gbps (2 x 10 Gbps SPF+, 1 x 2.5 Gbps, 1 x 1 Gbps Optional)	1 x 2.5Gbps, 1 x 1Gbps (2x 10Gbps SPF+, 1 x 2.5Gbps, 1 x 1Gbps Optional)
Redundant Power Supply	Yes, Dual Hot Swap	No

Hardware configurations are subject to change without notice	A-Series				Z-Series	
						
	IP and Hybrid				IP and Hybrid	
Analog (for Hybrid models)						
Models/Form Factors	Desktop	2U	2U Front Accessible	4U	2U	4U
Analog Inputs	8/16/32	16 looping/ 32 looping		16 looping / 32 looping / 64	16 looping/32	16 looping/32 looping/64
Analog Frame Rate	240/480/960 (NTSC) 200/400/800 (PAL)	480/960 (NTSC) 400/800 (PAL)		480/960/1920 (NTSC) 400/800/1600 (PAL)	30/25 fps per input	
Alarm Inputs/Outputs	Optional with USB I/O Module	16 inputs TTL 15 outputs TTL & 1 relay			16 inputs TTL 15 outputs TTL, 1 relay	
Analog Outputs	1/2/2	2/2		2/2/4	2	2/2/4
Audio Inputs	8/16/32	16			16	
IP						
Max IP Cameras	64				128	
Included IP Camera Licenses	NVR = 4 Professional IP licenses; Hybrid = 8 Professional IP licenses (only 4 available with 8-channel desktop)				8 Professional	
Alarm Inputs/Outputs					IP Server: 4 inputs TTL 1 output TTL, 1 relay Hybrid: 16 inputs TTL 15 outputs TTL, 1 relay	IP Server: 8 inputs TTL 3 output TTL, 1 relay Hybrid: 16 inputs TTL 15 outputs TTL, 1 relay
Server & General						
Pre-Loaded VMS Software	Professional or Enterprise				Professional or Enterprise	
Maximum Video Storage Rate (Dependent on HDD & Network Configuration)	250 (Windows) 300 (Linux)	300 (Windows) 450 (Linux)	IP Server: 350 (Windows) 550 (Linux) Hybrid: 300 (Windows) 450 (Linux)	350 (Windows) 550 (Linux)	800 Mbps (Windows) 900 Mbps (Linux)	1200 Mbps (Windows) 1900 Mbps (Linux)
Local Client Display Rate (FPS)	375 FPS (Windows), 720 FPS (Linux) 1800 @ analog resolution				Windows: 375 @ HD resolution/1800 @ analog resolution Linux: 720 @ HD resolution/1800 @ analog resolution	
Max Storage	24 TB	36 TB		96 TB	144 TB	360 TB
Removable HD	No	No	Yes	No	Yes	
RAID Configuration	N/A		RAID 5 (Optional)		RAID 5	RAID 6
Operating System	Windows 10 or Ubuntu Linux 22.04, Windows Server 2019 (Optional)				Windows 10 or Ubuntu Linux 22.04, Windows Server 2019 (Optional)	
Operating System Location	256 GB SSD	256 GB SSD	256 GB SSD (RAID 1 Optional)	256 GB SSD (RAID 1 Optional)	256 GB SSD (RAID 1 Optional)	
Monitor Output	DisplayPort, HDMI, VGA (3 simultaneous monitors)				DisplayPort, HDMI, VGA (3 simultaneous monitors)	
NIC	1 x 2.5Gbps, 1 x 1Gbps (3x 1Gbps, 1x 2.5Gbps; 2x 10Gbps, 1 x 2.5Gbps, 1 x 1Gbps Optional)				1 x 2.5Gbps, 1 x 1Gbps (3 x 1Gbps, 1 x 2.5Gbps Optional; 2 x 10Gbps SPF+, 1 x 2.5Gbps, 1 x 1Gbps Optional)	
Redundant Power Supply	No	No	Yes, Dual Hot Swap (Optional)		Yes, Dual Hot Swap	
Serial	RS-485 (Hybrid systems)				RS-485	
Audio Outputs (Server)	1				1	
Kantech-On Board Integration	Yes, Windows models only				Yes, Windows models only	
Warranty / SSA					Includes a 3-year warranty and 5 years of software updates	

Live Monitoring

	C-Series Standard	C-Series Pro	C-Series Pro Plus
Number of Video Streams Supported	16 streams @ Full HD	32 streams @ Full HD	
Frame Rate	15 fps per stream	15 fps per stream (Linux), 10 fps per stream (Windows)	
Monitor Output	HDMI, mini-DP	HDMI, DP	
Form Factor	Micro	Mini	
VESA Mountable	Yes	Yes	
Operating System	Ubuntu Linux 22.04	Windows 10 or Ubuntu Linux 22.04	
Network	1 Gb NIC	1 Gb NIC	
Wifi	Yes	Yes	
SSD Storage	128GB	256GB	
HDD Storage	None	None	1TB

Exacq



Networked Video Storage

S-Series		
Form Factor	Enterprise 2U	Enterprise 4U
Archiving - Max Video Recorders	32	64
Archiving - Max Data Rate (Mbps)	1500 Mbps w/ 2.5Gbps network hardware	
Archiving - Designed for Enterprise Manager	✓	✓
Ext. Storage - Max Video Recorders	32	64
Ext. Storage - Max Data Rate (Mbps)	900	1900
Ext. Storage - Designed for Enterprise Manager	✓	✓
Pre-loaded VMS Software	exacqVision Storage Enterprise	
Enterprise Manager Monitoring Compatible	✓	✓
Storage Maximum (Internal)	144 TB RAID 5	360 TB RAID 6
NIC	1x 2.5 Gbps, 1x 1 Gbps or 3x 1Gbps, 1x 2.5Gbps (Optional) or 2x 10Gbps SPF+, 1x 2.5Gbps, 1x 1Gbps (Optional)	
Operating System	Ubuntu Linux 22.04	
Operating System Location	256 GB SSD (RAID 1 Optional)	
Redundant Power Supply	Dual Hot Swap	

Johnson Controls

At Johnson Controls (NYSE:JCI), we transform the environments where people live, work, learn and play. As the global leader in smart, healthy and sustainable buildings, our mission is to reimagine the performance of buildings to serve people, places and the planet.

Building on a proud history of more than 135 years of innovation, we deliver the blueprint of the future for industries such as healthcare, schools, data centers, airports, stadiums, manufacturing and beyond through OpenBlue, our comprehensive digital offering.

Today, with a global team of 100,000 experts in more than 150 countries, Johnson Controls offers the world's largest portfolio of building technology and software as well as service solutions from some of the most trusted names in the industry.

Visit johnsoncontrols.com for more information and follow @Johnson Controls on social platforms.

© 2022 Johnson Controls. All rights reserved. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region. Contact your sales representative.